



**EXPORT PRODUCT
CATALOGUE**



World's rising brand
in agriculture !

buferagri.com



World's rising brand
in agriculture !





ABOUT US

When the production and capacity were important a couple of years ago, the take place between the values which must be absolute today. Globalization, institutionalization, fertility environmentalism and satisfaction of the customer emerges in the first area.

Developing technologies are a part of companies which are not easy to give up. Expectations of a production directions which concerns with humankind take place in the centre of functionality, esthetic and design triangle. Efforts of people who build the institutions are to bring up a quality productions which are worth to buy them with the high technologies.

Our journey started as determined and hopeful in 1970s with this understanding and entrepreneur spirit and maintains 100% native products in the fields of agricultural strife, agriculture and stock-breeding (cattle-dealing) by remaining loyal to principles and visions.

buferagri.com

08



PLANT & CROP PROTECTION

PANTER PLUS - LF	08
PANTER PLUS - AT	09
PANTER PLUS - EN	10
MANUAL LIFTED, MANUAL FOLDABLE	11
MECHANIC LIFTED, MANUAL FOLDABLE	12
HYDRAULIC LIFTED, HYDRAULIC FOLDABLE	13
HYDRAULIC LIFTED, MANUAL FOLDABLE	14
PANTER LEO	15
PANTER MAXI	17
TRAILED TYPE	18
TRAILED TYPE, HIGH WHEEL	19
MOUNTED & TRAILED TYPE GARDEN SPRAYER	20
POWER GARDEN SPRAYER	21
MOUNTED TYPE TURBO	22
TRAILED TYPE TURBO	24
MOUNTED SPECIAL TYPE TURBO	26
TRAILED SPECIAL TYPE TURBO	28
TRAILED SPECIAL TYPE TURBO	30
HYDRAULIC MEMBRANE PUMP	32
REGULATOR	34
ENGINE & PISTON PUMP	35



FERTILIZING

SINGLE DISC	38
DOUBLE DISC	39
DOUBLE DISC HORIZONTAL	40

36

42

SOIL WORKING

DISC PLOUGH	44
CONVENTIONAL PLOUGH	45
SEMI AUTOMATIC & AUTOMATIC PLOUGH	46
REVERSIBLE PLOUGH	47
OFFSET DISC HARROW	48
TANDEM DISC HARROW	50
DISC HARROW	51
CHISEL	52
SPRING TINE TILLER	53
CULTIVATOR	54
SUBSOILER	56
ROLLER	57
MECHANICAL ROTAVATOR	58
FIELD TYPE ROTARY TILLER	59
GARDEN TYPE ROTARY TILLER	60
INTERROW HOEING MACHINE WITH SPRING TINES	62
MECHANICAL INTER-ROW ROTARY CULTIVATOR	63
INTER ROW ROTARY CULTIVATOR	64
HOLE DIGGER	65





SOWING, PLANTING, HARVESTING

DIRECT SEED DRILL	68
UNIVERSAL GRAIN & PULSE SEED DRILL	69
SEED DRILL FOR CEREALS	70
PNEUMATIC PLANTER AXE TYPE	72
PNEUMATIC PLANTER DISC TYPE	73
PNEUMATIC PLANTER TELESCOPIC FRAME	74
MECHANICAL PLANTER	75
POTATO PLANTER	76
POTATO HARVESTER	77
DISC MOWER	78
ROTARY DRUM MOWER	79
INTER ROW DRUM MOWER	80
SICKLE MOWER	81
HAY EQUIPMENT	82
ROTARY WINDROWER (TEDDER)	83
FORAGE HARVESTER	84
MAIZE CHOPPER	85

86



TRANSPORTING

SINGLE AXLE	88
DOUBLE AXLE	89
TANDEM	90
SPECIAL TYPE	91



MILKING MACHINES


MILKING MACHINES

94

66


92





PLANT & CROP PROTECTION

ANT PROTECTION
PLANT & CROP P



PLANT & CROP PROTECTION

PULVERIZATOR

PANTER PLUS - LF



1000 LT - 18 MT



1000 LT - 18 MT

SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
 LT	POL/PLS TANK MATERIAL	 PUMP ¹	 REGULATOR ³	 BOOM -LF ⁴ (m)	 NOZZLE TYPE	 OTHER STANDARD EQUIPMENTS	 EXTRAS
1000	POLYETHYLENE	100 LT HP ²	4 WAYS HP MANUAL	12 - 14	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	ELECTRONIC CONTROL FOR HYDRAULIC EQUALIZER
		140 LT HP ²	4 WAYS LP MANUAL	15 - 16	ONE WAY PLASTIC WITH ANTI-DRIP	SYSTEM WASH TANK	WIRELESS CONTROL FOR HYDRAULIC EQUALIZER
		120 LT LP ²	5 WAYS ELECTRONIC	18 - 20	THREE WAYS PLASTIC WITH ANTI-DRIP	CABLE CARIER	PRE-MIXER
		170 LT LP ²	7 WAYS ELECTRONIC		FOUR WAYS PLASTIC WITH ANTI-DRIP	HYDRAULIC EQUALIZER	LINE FILTER

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / LF : HORIZONTAL BOOM FOLDING BY MANUALLY

PANTER PLUS - AT

1000 LT - 18 MT



1000 LT - 18 MT



SELECTIONAL STANDARD EQUIPMENTS

OPTIONAL EQUIPMENTS


	POL/PLS						
LT	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM -AT ⁴ (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
1000	POLYETHYLENE	100 LT HP ²	4 WAYS HP MANUAL	12	BRASS WITHOUT ANTI-D RIP	HAND WASH TANK	ELECTRONIC CONTROL FOR BOOM FOLDING
		140 LT HP ²	4 WAYS LP MANUAL	15	ONE WAY PLASTIC WITH ANTI-D RIP	SYSTEM WASH TANK	WIRELESS CONTROL FOR BOOM FOLDING
		120 LT LP ²	5 WAYS ELECTRONIC	18	THREE WAYS PLASTIC WITH ANTI-D RIP	CABLE CARIER	PRE-MIXER
		170 LT LP ²	7 WAYS ELECTRONIC		FOUR WAYS PLASTIC WITH ANTI-D RIP	HYDRAULIC EQUALIZER	LINE FILTER

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / AT : HORIZONTAL BOOM FOLDING BY HYDRAULICALLY



PLANT & CROP PROTECTION

PULVERIZATOR

PANTER PLUS - EN

1000 LT - 15 MT



1000 LT - 18 MT



SELECTIONAL STANDARD EQUIPMENTS

OPTIONAL EQUIPMENTS

 LT	POL/PLS TANK MATERIAL	 PUMP ¹	 REGULATOR ³	 BOOM - EN ⁴ (m)	 NOZZLE TYPE	 OTHER STANDARD EQUIPMENTS	 EXTRAS
1000	POLYETHYLENE	100 LT HP ²	4 WAYS HP MANUAL	12	ONE WAY PLASTIC WITH ANTI-DRIP	HAND WASH TANK	ELECKTRONIC CONTROL FOR HYDRAULIC EQUALIZER
		140 LT HP ²	4 WAYS LP MANUAL	14	THREE WAYS PLASTIC WITH ANTI-DRIP	SYSTEM WASH TANK	WIRELESS CONTROL FOR HYDRAULIC EQUALIZER
		120 LT LP ²	5 WAYS ELECTRONIC	15	FOUR WAYS PLASTIC WITH ANTI-DRIP	LINE FILTER	PRE-MIXER
		170 LT LP ²	7 WAYS ELECTRONIC	18		HYDRAULIC EQUALIZER	

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / EN : THE BOOM IS PRODUCED BY CAFFINI-ITALY

MANUAL LIFTED MANUAL FOLDABLE



400 LT - 8 MT



500 LT - 9 MT



600 LT - 10 MT

SELECTIONAL STANDARD EQUIPMENTS


	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM SB ⁴ (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
300	POLYETHYLENE	30 LT HP ²	2 WAYS HP MANUAL	6	BRASS WITHOUT ANTI-DRIP		HAND WASH TANK
400	FIBERGLASS	80 LT HP ²	4 WAYS HP MANUAL	8	ONE WAY PLASTIC WITH ANTI-DRIP		MECHANIC SUSPENSION SYSTEM FOR BOOM
500		100 LT HP ²	2 WAYS LP MANUAL	9	THREE WAYS PLASTIC WITH ANTI-DRIP		LINE FILTER
600		80 LT LP ²	4 WAYS LP MANUAL	10	FOUR WAYS PLASTIC WITH ANTI-DRIP		
800		100 LT LP ²		12			
1000				14			

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / SB : HORIZONTAL BOOM FOLDING BY MANUALLY



PLANT & CROP PROTECTION

PULVERIZATOR

MECHANIC LIFTED MANUAL FOLDABLE



600 LT - 12 MT



600 LT - 12 MT

SELECTIONAL STANDARD EQUIPMENTS						OPTIONAL EQUIPMENTS	
	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM SB ⁴ (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
400	POLYETHYLENE	80 LT HP ²	2 WAYS HP MANUAL	10	BRASS WTHOUT ANTI-DRIP	HAND WASH TANK	LINE FILTER
500		100 LT HP ²	4 WAYS HP MANUAL	12	ONE WAY PLASTIC WITH ANTI-DRIP		STAIR
600		80 LT LP ²	2 WAYS LP MANUAL	14	THREE WAYS PLASTIC WITH ANTI-DRIP		
800		100 LT LP ²	4 WAYS LP MANUAL	15	FOUR WAYS PLASTIC WITH ANTI-DRIP		
				16			

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / SB : HORIZONTAL BOOM FOLDING BY MANUALLY



HYDRAULIC LIFTED - HYDRAULIC FOLDABLE



1000 LT - 18 MT



1000 LT - 18 MT

SELECTIONAL STANDARD EQUIPMENTS

OPTIONAL EQUIPMENTS


	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM AT ² (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
800	POLYETHYLENE	100 LT HP ²	4 WAYS HP MANUAL	12	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	CABLE CARRIES
1000		140 LT HP ²	4 WAYS HP MANUAL	15	ONE WAY PLASTIC WITH ANTI-DRIP	LINE FILTER	ELECTRONIC CONTROL FOR HYDRAULIC EQUALIZER
		120 LT HP ²	5 WAYS ELECTRONIC	18	THREE WAYS PLASTIC WITH ANTI-DRIP		WIRELESS CONTROL FOR HYDRAULIC EQUALIZER
		170 LT HP ²	7 WAYS ELECTRONIC		FOUR WAYS PLASTIC WITH ANTI-DRIP		PRE-MIXER

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / AT : HORIZONTAL BOOM FOLDING BY HYDRAULICALLY



PLANT & CROP PROTECTION

PULVERIZATOR

HYDRAULIC LIFTED MANUAL FOLDABLE



SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
 CAPACITY (lt)	POL/PLS TANK MATERIAL	 PUMP ¹	 REGULATOR ³	 BOOM LF ⁴ (m)	 NOZZLE TYPE	 OTHER STANDARD EQUIPMENTS	 EXTRAS
600	POLYETHYLENE	80 LT HP ²	2 WAYS HP MANUAL	12	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	CABLE CARRIES
800		100 LT HP ²	4 WAYS HP MANUAL	14	ONE WAY PLASTIC WITH ANTI-DRIP	STAIR	HYDRAULIC EQUELEZER
1000		140 LT HP ²	2 WAYS LP MANUAL	15	THREE WAYS PLASTIC WITH ANTI-DRIP		ELECTRONIC CONTROL FOR HYDRAULIC EQUALIZER
		80 LT LP ²	4 WAYS LP MANUAL	16	FOUR WAYS PLASTIC WITH ANTI-DRIP		WIRELESS CONTROL FOR HYDRAULIC EQUALIZER
		100 LT LP ²	5 WAYS ELECTRONIC	18			LINE FILTER
		120 LT LP ²	7 WAYS ELECTRONIC	20			PRE-MIXER

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / LF : HORIZONTAL BOOM FOLDING BY MANUALLY



800 LT - 16 MT - HEQ



800 LT - 12 MT



600 LT - 12 MT

SELECTIONAL STANDARD EQUIPMENTS FOR PANTER PLUS MANUAL


	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM LF ⁴ (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
600	POLYETHYLENE	80 LT HP ²	2 WAYS HP MANUAL	12	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	CABLE CARRIES
800		100 LT HP ²	4 WAYS HP MANUAL	14	ONE WAY PLASTIC WITH ANTI-DRIP	STAIR	HYDRAULIC EQUILIZER
1000		140 LT HP ²	2 WAYS LP MANUAL	15	THREE WAYS PLASTIC WITH ANTI-DRIP		ELECTRONIC CONTROL FOR HYDRAULIC EQUALIZER
		80 LT LP ²	4 WAYS LP MANUAL	16	FOUR WAYS PLASTIC WITH ANTI-DRIP		WIRELESS CONTROL FOR HYDRAULIC EQUALIZER
		100 LT LP ²	5 WAYS ELECTRONIC	18			LINE FILTER
		120 LT LP ²	7 WAYS ELECTRONIC	20			PRE-MIXER

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE

4 / LF : HORIZONTAL BOOM FOLDING BY MANUALLY



PLANT & CROP PROTECTION

PULVERIZATOR

PANTER LEO



1000 LT - 18 MT

1000 LT - 18 MT




PANTER MAXI



1000 LT - 18 MT



1200 LT - 18 MT



PLANT & CROP PROTECTION

PULVERIZATOR

TRAILED TYPE



SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
	POL/PLS					/	+
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM LENGTH (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
1000	POLYETHYLENE	80 LT HP ²	2 WAYS HP MANUAL	LF : MANUAL	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	CABLE CARRIER
1200	FIBERGLASS	100 LT HP ²	4 WAYS HP MANUAL	12	ONE WAY PLASTIC WITH ANTI-DRIP		HYDRAULIC EQUALIZER
1600		140 LT HP ²	4 WAYS LP MANUAL	14	THREE WAYS PLASTIC WITH ANTI-DRIP		ELECTRONIC CONTROL
2000		120 LT LP ²	5 WAYS ELECTRONIC	15	FOUR WAYS PLASTIC WITH ANTI-DRIP		WIRELESS CONTROL
2500		170 LT LP ²	7 WAYS ELECTRONIC	16			LINE FILTER
3000		200 LT LP ²		18			PRE-MIXER
				20			
				AT : AUTOMATIC			
				15			
				18			

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE



TRAILED TYPE - HIGH WHEEL

2000 LT - HW - 18 MT

CAFFINI
BOOM

3000 LT - HW - 18 MT


2000 LT - HW - 16 MT

SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP ¹	REGULATOR ³	BOOM LENGTH (m)	NOZZLE TYPE	OTHER STANDARD EQUIPMENTS	EXTRAS
2000	POLYETHYLENE	100 LT HP ²	4 WAYS HP MANUAL	LF-MANUAL	BRASS WITHOUT ANTI-DRIP	HAND WASH TANK	CABLE CARRIER
3000		140 LT HP ²	5 WAYS LP MANUAL	15	ONE WAY PLASTIC WITH ANTI-DRIP		HYDRAULIC EQUALIZER
		120 LT LP ²	5 WAYS ELECTRONIC	16	THREE WAYS PLASTIC WITH ANTI-DRIP		ELECTRONIC CONTROL
		170 LT LP ²	7 WAYS ELECTRONIC	18	FOUR WAYS PLASTIC WITH ANTI-DRIP		WIRELESS CONTROL
		200 LT LP ²		AT-AUTOMATIC			LINE FILTER
				15			PRE-MIXER
				18			MUDGUARD

1 / THE PUMP BRANDS ARE : ÖNTAR - COMET - BERTOLONI-ANNOVI REVERBERI

3 / THE REGULATOR BRANDS ARE : ÖNTAR - COMET - BERTOLONI - ANNOVI REVERBERI - TECOMEC- ARAG- BRAGLIA

2 / LP : LOW PRESSURE HP : HIGH PRESSURE



PLANT & CROP PROTECTION

PULVERIZATOR

MOUNTED & TRAILED TYPE GARDEN SPRAYER



600 LT



1000 LT



400 LT

SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP	REGULATOR	HOSE LENGTH (m)	SPRAYER GUN	OTHER STANDARD EQUIPMENTS	EXTRAS
MOUNTED	POLYETHYLENE	30 LT HP	2 WAYS HP MANUAL	15	SHORT LANCE	HAND WASH TANK FOR TRAILED	HAND WASH FOR MOUNTED
300	FIBERGLASS	80 LT HP	4 WAYS HP MANUAL	25	LONG LANCE	HOSE REEL FOR TRAILED	HOSE REEL FOR MOUNTED
400		100 LT HP		30	TURBO LANCE		200 MT HOSE CAPACITY HOSE REEL
500				50			PRE-MIXER
600				100			LINE FILTER
TRAILED				150			
1000							
1200							
1600							
2000							



POWER GARDEN SPRAYER



100 LT



100 LT



200 LT




200 LT



600 LT

SELECTIONAL STANDARD EQUIPMENTS							OPTIONAL EQUIPMENTS
	POL/PLS						
CAPACITY (lt)	TANK MATERIAL	PUMP	REGULATOR	HOSE LENGTH (m)	SPRAYER GUN	OTHER STANDARD EQUIPMENTS	EXTRAS
MOBILE	POLYETHYLENE	30 LT HP	2 WAYS HP MANUAL	15	SHORT LANCE		HOSE REEL
60	FIBERGLASS	80 LT HP		25	LONG LANCE		ECO HOSE REEL
100		100 LT HP		30	TURBO LANCE		
200		140 LT HP		50			
MOUNTED				100			
400				150			
500				ECO HOSE			
600				15			
TRAILED				30			
600				50			
1000				100			



PLANT & CROP PROTECTION

ATOMIZER



200 LT - Q60



300 LT - Q60



400 LT - Q60



500 LT - Q75

MOUNTED TYPE TURBO

SELECTIONAL STANDARD EQUIPMENTS				OPTIONAL EQUIPMENTS
	POL/PLS			
CAPACITY (lt)	TANK MATERIAL	PUMP	REGULATOR	TRANSMISSION
200	POLYETHYLENE	80 LT HP	2 WAYS HP	V-BELT
300	FIBERGLASS	100 LT HP	BY MATIC HP	GEARBOX
400		120 LT HP	ELECTRONIC	
500		140 LT HP		
600				
800				



500 LT - Q75



600 LT Q75 - 10 MT



600 LT CANNON

SELECTIONAL STANDARD EQUIPMENTS



NOZZLE TYPE

PLASTIC WITHOUT ANTI-DRIP
PLASTIC WITH ANTI-DRIP
BRASS WITHOUT ANTI-DRIP
BRASS WITH ANTI-DRIP



FAN DIAMETER

Q60 : 8 PCS NOZZLES
Q75 : 10 PCS NOZZLES
Q80 : 10-12 PCS NOZZLES
Q85 : 12-14 PCS NOZZLES
Q90 : 14-16 PCS NOZZLES
CANNON SA : 25 MT



OTHER STANDARD EQUIPMENTS


HAND WASH
PAINTED HUB FOR : Q60
PAINTED - GALVANIZED OR CHROME HUB FOR : Q75
GALVANIZED OR CHROME HUB FOR : Q80
GALVANIZED OR CHROME HUB FOR : Q85
GALVANIZED OR CHROME HUB FOR : Q90

OPTIONAL EQUIPMENTS



EXTRAS

GALVANIZED HUB FOR : Q60
LINE FILTER
PRE-MIXER



PLANT & CROP PROTECTION

ATOMIZER



2000 LT Q90



1000 LT Q90



1600 LT Q90

TRAILED TYPE TURBO

SELECTIONAL STANDARD EQUIPMENTS				OPTIONAL EQUIPMENTS
	POL/ PLS			
CAPACITY (lt)	TANK MATERIAL	PUMP	REGULATOR	TRANSMISSION
1000	POLYETHYLENE	100 LT HP	2 WAYS HP	GEARBOX
1200	FIBERGLASS	120 LT HP	BY MATIC HP	
1600		140 LT HP	ELECTRONIC	
2000		170 LT HP	COMPUTER + SENSOR	
3000		200 LT HP		



2000 LT CANNON



2000 LT Q90



2000 LT Q90



SELECTIONAL STANDARD EQUIPMENTS

OPTIONAL EQUIPMENTS



NOZZLE TYPE

PLASTIC WITHOUT ANTI-DRIP
PLASTIC WITH ANTI-DRIP
BRASS WITHOUT ANTI-DRIP
BRASS WITH ANTI-DRIP



FAN DIAMETER

Q75 : 10 PCS NOZZLES
Q80 : 10-12 PCS NOZZLES
Q85 : 12-14 PCS NOZZLES
Q90 : 14-16 PCS NOZZLES
Q90-LINEAR : 14-16 PCS NOZZLES
Q90-VLINEAR : 14-16 PCS NOZZLES
CANNON SA: 25 MT




OTHER STANDARD EQUIPMENTS

HAND WASH
LINE FILTER
PAINTED -GALVANIZED OR CHROME HUB FOR : Q75
GALVANIZED OR CHROME HUB FOR : Q80
GALVANIZED OR CHROME HUB FOR : Q85
GALVANIZED OR CHROME HUB FOR : Q90



EXTRAS

PRE-MIXER



PLANT & CROP PROTECTION

ATOMIZER



800 LT CAFFINI
ROBOT HEAD



1000 LT CAFFINI
ROBOT HEAD



600 LT CAFFINI
CANNON

MOUNTED SPECIAL TYPE TURBO



600 LT CAFFINI
ROBOT HEAD




600 LT CAFFINI
TOP FAN



600 LT CAFFINI
SYNTHESIS FAN

MOUNTED SPECIAL TYPE TURBO ATOMIZER			OPTIONAL
	CAPACITY (lt)	200 - 300 - 400 - 500 - 600 - 800 - 1000	
	CAFFINI STANDARD FAN GROUP	Q62-Q72-Q82	
	CAFFINI TOP FAN GROUP	Q72-Q82-Q92	COUNTER FAN / AIR RECOVERY
	CAFFINI REVERSE FAN GROUP	Q72-Q82-Q92	COUNTER FAN / AIR RECOVERY / DOUBLE ARC
	CAFFINI SYNTHESIS FAN GROUP	Q62 / Q72	
	CAFFINI PERFORMER CANNON	SA 25 MT / DA 35 MT / DA BIG 45 MT	
	CAFFINI ROBOT HEAD	DA 35 MT / DA BIG 45 MT	



PLANT & CROP PROTECTION

ATOMIZER

TRAILED SPECIAL TYPE TURBO



2000 LT CAFFINI
TOP FAN

2000 LT CAFFINI
TOP FAN



2000 LT CAFFINI
REVERSE FAN



2000 LT CAFFINI
REVERSE FAN






2000 LT CAFFINI REVERSE
FAN + SENSOR



2000 LT CAFFINI REVERSE
FAN + SENSOR





PLANT & CROP PROTECTION

ATOMIZER



1000 LT Q90

1000 LT Q90

TRAILED SPECIAL TYPE TURBO




1000 LT CAFFINI
ORCHARD HEAD



1000 LT CAFFINI
ORCHARD HEAD



TRAILED SPECIAL TYPE TURBO ATOMIZER		OPTIONAL
	CAPACITY (lt)	200 - 300 - 400 - 500 - 600 - 800 - 1000
	CAFFINI STANDART FAN GROUP	Q62-Q72-Q82
	CAFFINI TOP FAN GROUP	Q72-Q82-Q92
	CAFFINI REVERSE FAN GROUP	Q72-Q82-Q92
	CAFFINI SYNTHESIS FAN GROUP	Q62 / Q72
	CAFFINI PERFORMER CANNON	SA 25 MT / DA 35 MT / DA BIG 45 MT
	CAFFINI ROBOT HEAD	DA 35 MT / DA BIG 45 MT
	CAFFINI ORCHAD HEAD	DA 35 MT
	AUTOMATIC SENSOR SYTEM	
		COUNTER FAN / AIR RECOVERY COUNTER FAN / AIR RECOVERY / DOUBLE ARC



PLANT & CROP PROTECTION

PUMP & REGULATOR & ENGINE

HYDRAULIC MEMBRANE PUMP



E 30



C 50



E-30 WITH
REDUCTION



B 71

E 30
WITH PULLEY



ÖNTAR PUMP

TYPE	MEBRANE	FLOWRATE	PRESSURE	HP	KW	RPM	WEIGHT
E-30	3	30 lt/min	40 bar	3,8	2,83	540	12 kg
C-50	2	50 lt / min	40 bar	6,1	4,50	540	16 kg
B-71	3	71 lt / min	50 bar	8,6	6,41	540	21 kg



B 80


B 80
WITH PULLEY



A105


A 105
WITH PULLEY


IDM 140

ÖNTAR PUMP

TYPE	MEBRANE	FLOWRATE	PRESSURE	HP	KW	RPM	WEIGHT
B-80	3	80 lt / min	50 bar	9,9	7,50	540	22 kg
A-105	4	105 lt / min	50 bar	13,1	9,76	540	24 kg
IDM 140	3	140 lt / min	50 bar	16,3	12,2	540	44 kg



PLANT & CROP PROTECTION

PUMP & REGULATOR & ENGINE

VDR 50
5 WAYS



VDR 50



REGULATOR

C 50



C 50
3 WAYS



ÖNTAR PRESSURE CONTROL UNIT

MODEL	PUMPS	PRESSURE (bar)	FLOWRATE	WEIGHT (kg)
C-30	E-30	40	80 lt/min	1.37
C-50	C-50, B-71, B-80	40	80 lt/min	1.58
VDR-50	B-80, A-105, IDM-140	50	130 lt/min	2.22

ENGINE & PISTON PUMP



6.5 HP GASOLINE



26 PISTON PUMP



22 LT PISTON PUMP





FERTILIZING



FERTILIZING

FERTILIZER SPREADER

SINGLE DISC



350 LT



350 LT



350 LT



500 LT



500 LT

SINGLE DISC

CAPACITY (lt)	TYPE	ADJUSTMENT
350	WIDE MOUTH-NARROW MOUTH	MECHANIC
400	ANGULAR	MECHANIC-HYDRAULIC
500	ANGULAR	MECHANIC-HYDRAULIC
600	ANGULAR	MECHANIC-HYDRAULIC



DOUBLE DISC



DOUBLE DISC

CAPACITY (lt)	TYPE	ADJUSTMENT
600	ANGULAR	MECHANIC-HYDRAULIC
800	ANGULAR	MECHANIC-HYDRAULIC
1000	ANGULAR	MECHANIC-HYDRAULIC
1200	ANGULAR	MECHANIC-HYDRAULIC



FERTILIZING

FERTILIZER SPREADER

DOUBLE DISC - HORIZONTAL



DOUBLE DISC		
CAPACITY (lt)	TYPE	ADJUSTMENT
1500	ANGULAR	HYDRAULIC
2500	ANGULAR	HYDRAULIC



DOUBLE DISC

CAPACITY (lt)	TYPE	ADJUSTMENT
900	ANGULAR	HYDRAULIC
1200	ANGULAR	HYDRAULIC





SOIL WORKING
SOIL WORKING



SOIL WORKING



SOIL WORKING

PLOUGH

DISC PLOUGH



3 DISC-PROFILE



3 DISC- TUBULAR

DISC PLOUGH

MODELS

NUMBER OF DISC	2,3,4,5,6
TYPE OF CHASSIS	PROFILE - TUBULAR



CONVENTIONAL PLOUGH

4 ROWS



5 ROWS - PROFILE



CONVENTIONAL PLOUGH

MODELS	NUMBER OF BODIES
STANDARD CHASSIS	2-3-4-5
PROFILE CHASSIS	3-4-5-6




SOIL WORKING

PLOUGH

SEMI AUTOMATIC & AUTOMATIC PLOUGH



SEMI AUTOMATIC




AUTOMATIC

AUTOMATIC PLOUGH

MODELS	NUMBER OF BODIES
AUTOMATIC PLOUGH	3,4,5,6
SEMI AUTOMATIC PLOUGH	2,3,4,5,,6

REVERSIBLE PLOUGH



REVERSIBLE PLOUGH

REVERSIBLE PLOUGH

NUMBER OF BODIES

2-3-4-5-6 / 2+1-3+1-4+1-5+1



SOIL WORKING

DISC HARROW

OFFSET DISC HARROW



DISC HARROW		
MODELS	DISC NUMBER	DISC DIAMETER (mm)
TRAILED TYPE OFFSET DISC HARROW WITH HYDRAULIC LIFT	16-18-20-22-24-26-28-30-32-34-36	560 - 610 - 660
FOLDABLE V TYPE OFFSET DISC HARROW	36-40-44-48-52-56-60-64-68-72	560 - 610 - 660
TRAILED OFFSET DISC HARROW WITH LIFT and WHEEL	24-28-32-36-40-44-48	460 - 510



TRAILED & MOUNTED V TYPE
OFFSET DISC HARROW



V TYPE OFFSET DISC HARROW
WITH HYDRAULIC & TRAILED



MOUNTED TYPE OFFSET
DISC HARROW

DISC HARROW		
MODELS	DISC NUMBER	DISC DIAMETER (mm)
V TYPE OFFSET DISC HARROW WITH HYDRAULIC AND TRAILED	16-18-20-22-24	560 - 610
TRAILED and MOUNTED V TYPE OFFSET DISC HARROW	20-24-28-32-36-40	460 - 510
MOUNTED TYPE OFFSET DISC HARROW	16-18-20-22	460 - 510



SOIL WORKING

DISC HARROW

TANDEM DISC HARROW



FOLDABLE X TYPE
TANDEM DISCHARROW

TRAILED TYPE TANDEM DISC
HARROW WITH HYDRAULIC LIFT



X TYPE MOUNTED
TANDEM DISC HARROW

DISC HARROW		
MODELS	DISC NUMBER	DISC DIAMETER (mm)
TRAILED TYPE TANDEM DISC HARROW WITH HYDRAULIC LIFT	20-22-24-26-28-30-32-34-36	560 - 610 - 660
FOLDABLE X TYPE TANDEM DISC HARROW	36-40-44-48-52-56-60-64-68-72	560 - 610 - 660
X TYPE MOUNTED TANDEM DISC HARROW	20-22-24-26-28-30-32	460 - 510



DISC HARROW



MOUNTED ONE WAY DISC HARROW
WITH DOUBLE BALANCE WHEEL



DISC HARROW		
MODELS	DISC NUMBER	DISC DIAMETER (mm)
SEPA DISC 2D DISC HARROW WITH INDEPENDENT DISC	16-20-24-28-32	510
MOUNTED ONE WAY DISC HARROW WITH DOUBLE BALANCE WHEEL	8-9-10-11-12-13-14-15-16	560 - 610



SOIL WORKING

CHISEL, CULTIVATOR, SUBSOILER, ROLLER

CHISEL



9 TINES



7 TINES



7 TINES + ROLLER

CHISEL

NUMBER OF TINES

5, 7, 9, 11, 13, 15

OPTION

ROLLER

SPRING TINE TILLER



CULTIVATOR WITH S TYPE TINES

MODELS	WORKING WIDTH (cm)	OPTION
STANDARD	196, 219, 242, 265, 288, 311, 334, 357, 380	ROLLER
FOLDABLE	350, 400, 450, 500, 550, 600, 650	ROLLER



SOIL WORKING

CHISEL, CULTIVATOR, SUBSOILER, ROLLER

CULTIVATOR

9 LEGS + ROLLER



11 LEGS + ROLLER



11 LEGS



CULTIVATOR WITH HORIZONTAL SPRING

NUMBER OF LEGS


7-9-11-13-15

OPTION

ROLLER



11 LEGS



9 LEGS



11 LEGS + ROLLER

CULTIVATOR WITH VERTICAL SPRING

NUMBER OF LEGS	OPTION
7-9-11-13-15	ROLLER



SOIL WORKING

CHISEL, CULTIVATOR, SUBSOILER, ROLLER

SUBSOILER



SUBSOILER

NUMBER OF TINES

2-4-6-8-10



ROLLER



FOLDABLE



MOUNTED & TRAILED



MOUNTED & TRAILED

ROLLER

TYPES

FOLDABLE - MOUNTED & TRAILED



SOIL WORKING

ROTARY TILLER - ROTOVATOR

MECHANICAL ROTAVATOR



MECHANICAL
ROTOVATOR



MECHANICAL
ROTOVATOR

MECHANIC ROTOVATOR (POWER HARROW)

NUMBER OF TINES	WORKING WIDTH (cm)
8-12-16-20-24-28	150 - 200 - 250 - 300 - 350 - 400



FIELD TYPE ROTARY TILLER



235CM

235CM



FIELD TYPE ROTARY TILLER

WORKING WIDTH (cm)

155 - 180 - 205 - 230 - 265 - 300



SOIL WORKING

ROTARY TILLER - ROTOVATOR

GARDEN TYPE ROTARY TILLER



210CM - FIXED



210CM - FIXED

GARDEN TYPE ROTARY TILLER - FIXED

WORKING WIDTH (cm)

160 - 185 - 210 - 235 - 260



MECHANIC SHIFTING



HYDRAULIC SHIFTING

GARDEN TYPE ROTARY TILLER - SHIFTABLE

MODELS	WORKING WIDTH (cm)
HYDRAULIC SHIFTING	170 - 195 - 220 - 245 - 270 - 320
MECHANIC SHIFTING	170 - 195 - 220 - 245 - 270 - 320



SOIL WORKING

HOEING MACHINE

INTERROW HOEING MACHINE WITH SPRING TINES



WITH FERTILIZER BOX



WITHOUT FERTILIZER BOX

INTERROW HOEING MACHINE WITH SPRING TINES

NUMBER OF UNITS	NUMBER OF TINES	OPTIONS
5-6-7-9	21-26-31-41	FERTILIZER HOPPER



MECHANICAL INTER-ROW ROTARY CULTIVATOR

MECHANICAL INTER-ROW
ROTARY CULTIVATOR



MECHANICAL INTER-ROW ROTARY CULTIVATOR

TYPES	NUMBER OF TINES
6 UNITS FOR BEET/ 5 UNITS FOR CORN	16-21



SOIL WORKING

HOEING MACHINE

INTER ROW ROTARY CULTIVATOR



5 ROWS WITH
FERTILIZER BOX



5 ROWS

INTERROW ROTARY CULTIVATOR

MODELS	OPTION
3 COMPLETE UNITS FOR CORN	FERTILIZER BOX
3 COMPLETE + 1 HALF UNITS FOR CORN	
3 COMPLETE + 2 HALF UNITS FOR CORN	
5 COMPLETE UNITS FOR CORN	
4 COMPLETE UNITS FOR BEET	
5 COMPLETE UNITS FOR BEET	
6 COMPLETE UNITS FOR BEET	

HOLE DIGGER



HOLE DIGGER			
MODEL BG		MODEL SM	
AUGER DIAMETER	150/300/400/450/500/600 mm	AUGER DIAMETER	150/200/300/400 mm
HOLE DEPTH	1000 mm	HOLE DEPTH	750 mm
STANDARD	PTO-OVERLOAD PROTECTION	OPTION	PTO-OVERLOAD PROTECTION





**SOWING-PLANTING,
HARVESTING**



SOWING-PLANTING, HARVESTING

SEED DRILL

DIRECT SEED DRILL



DIRECT SEED DRILL

MODELS		DISC DIAMETER	
NUMBER OF ROWS		12-15-18-20-24-28	
DISTANCE BETWEEN ROWS		14 cm	
EQUIPMENTS		SEED HOPPER	FERTILIZER HOPPER
TYRE SIZE		10.0/75-15.3	



UNIVERSAL GRAIN & PULSE SEED DRILL



UNIVERSAL GRAIN AND PULSE SEED DRILL

MODELS	DISC DIAMETER	
NUMBER OF ROWS	21 - 25 -29 -33	
DISTANCE BETWEEN ROWS	12,5 cm	
EQUIPMENTS	SEED HOPPER	FERTILIZER HOPPER
TYRE SIZE	500x15 - 600x16 - 750x16	



SOWING-PLANTING, HARVESTING

SEED DRILL

SEED DRILL FOR CEREALS



UNIVERSAL SEEDER- AUTOMN SEEDER

MODELS	DISC DIAMETER	
NUMBER OF ROW UNITS	12-14-16-18-20-22-24-28-30-32-40	
DISTANCE BETWEEN ROW UNITS	12,5 CM - 14 CM	
EQUIPMENTS	MECHANICAL / HYDRAULIC FOLLOWING TINES	HYDRAULIC TWIN ROW MARKER
	MECHANICAL /HYDRAULIC TRACK ERADICATOR	SMALL SEED HOPPER
TYRE SIZE	7.50 X 16 - 11.5/80 -15.3 - 12.4 X 24	
DISC SIZE	SINGLE DISC- DOUBLE DISC	





SOWING-PLANTING, HARVESTING

PLANTER

PNEUMATIC PLANTER AXE TYPE



AXE (COULTER) TYPE

NUMBER OF ROWS	4, 5, 6, 8
MIN. DISTANCE BETWEEN ROWS (cm)	27
OPTION	FERTILIZER HOPPER , DECAR COUNTER



PNEUMATIC PLANTER DISC TYPE



DISC TYPE

NUMBER OF ROWS	4, 5, 6, 8
MIN. DISTANCE BETWEEN ROWS (cm)	27
OPTION	FERTILIZER HOPPER , DECAR COUNTER



SOWING-PLANTING, HARVESTING

PLANTER

PNEUMATIC PLANTER TELESCOPIC FRAME



DISC TYPE- TELESCOPIC FRAME

NUMBER OF ROWS	5,6,8
DISTANCE BETWEEN ROWS (cm)	45 - 70
OPTION	FERTILIZER HOPPER , DECAR COUNTER



MECHANICAL PLANTER



MECHANICAL PLANTER

NUMBER OF ROWS	2, 4, 6, 8
DISTANCE BETWEEN ROWS (cm)	45 - 80
OPTION	FERTILIZER HOPPER



SOWING-PLANTING, HARVESTING

POTATO EQUIPMENT

POTATO PLANTER



POTATO PLANTER

NUMBER OF ROWS

2, 4

POTATO HARVESTER



POTATO HARVESTER

NUMBER OF ROWS

1, 2



SOWING-PLANTING, HARVESTING

MOWERS

DISC MOWER



DISC MOWER

NUMBER OF DISCS

4,5,6,7

OPTION

Squeezing Roller

ROTARY DRUM MOWER



ROTARY DRUM MOWER

WORKING WIDTH (cm)	125 - 145 - 165 - 190 - 210
OPTION	COVER TENT



SOWING-PLANTING, HARVESTING

MOWERS

INTER ROW DRUM MOWER



INTER ROW DRUM MOWER

WORKING WIDTH (cm)

125 - 145 - 165 - 190

OPTION

COVER TENT

SICKLE MOWER



SICKLE BAR MOWER




TYPES	SINGLE BAR - DOUBLE BAR
OPTION	HYDRAULIC ADJUSTMENT



SOWING-PLANTING, HARVESTING

HAY EQUIPMENT

WHEEL RAKE



RAKER

NUMBER OF WHEELS

4,5,8

ROTARY WINDROWER (TEDDER)



TEDDER

NUMBER OF ARMS

9



SOWING-PLANTING, HARVESTING

HARVESTER

FORAGE HARVESTER



FORAGE HARVESTER

WORKING WIDTH (cm)

130

WORKING CAPACITY

17 TONS/H



MAIZE CHOPPER



MAIZE CHOPPER

WORKING WIDTH (cm)	50
WORKING CAPACITY	50 TONS/H





TRANSPORTING
TRANSPORTING



TRANSPORTING



TRANSPORTING

TRAILER

SINGLE AXLE



SINGLE AXLE	
CAPACITIES (tons)	1 - 1.5 - 2.5 - 3.5 - 4 - 5 - 6
DUMP	DAMPER TO BACK
BRAKE	HYDRAULIC
OPTION	AIR BRAKE



DOUBLE AXLE



DOUBLE AXLE

CAPACITIES (tons)	4 - 5 - 6 - 8 - 10 - 12 - 16
DUMP	DAMPER TO BACK
BRAKE	HYDRAULIC
OPTION	AIR BRAKE
	DAMPER TO RIGHT & LEFT



TRANSPORTING

TRAILER

TANDEM



TANDEM AXLE

CAPACITIES (tons)	6 - 8 - 10 - 12 - 16
DUMP	DAMPER TO BACK
BRAKE	HYDRAULIC
OPTION	AIR BRAKE
OPTION	DAMPER TO RIGHT & LEFT



TANDEM AXLE

CAPACITIES (tons)	4 - 6
DUMP	DAMPER TO BACK
BRAKE	HYDRAULIC



MILKING MACHINE



MILKING MACHINE





MILKING MACHINE

MILKING MACHINES



MILKING MACHINE

BUCKET TYPE	INOX , ALUMINUM
BUCKET NUMBER	SINGLE, DOUBLE



MILKING MACHINE

BUCKET TYPE	INOX, ALUMINUM
BUCKET NUMBER	SINGLE, DOUBLE





World's rising brand
in agriculture !



buferagri.com

BUFERAGRI AGRICULTURAL IMPLEMENTS

BUFER MAK. OTO. HIRD. İÇ ve DİŞ TİC. LTD. ŞTİ.
BÜSAN OSB. KOSGEB CAD. NO:17 KONYA / TURKEY
PHONE: (+90.332) 345 03 10 FAX: (+90.332) 345 03 12
info@buferagri.com

buferagri.com



V1.0 | 1-14